

# **MATERIAL SAFETY DATA SHEET**

1

# 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND COMPANY NAME: Verdcol<sup>®</sup> BML Yellow 154

#### COMPANY DETAILS EMERGENCY

ADDRESS

Use the following phone number: International: +86 21 52835226 (Only available in working hour)

VERDCOL LTD. No.10, Lane 112 Changshu Road, Jing'an District, Shanghai, China Tel + 86 21 52835226 Fax + 86 21 52835226 E-Mail: <u>service@ verdcol.com</u>

MATERIAL

Generic Sample Names Alternative Name/Intended Use Chemical Type: CAS Number(s) EU Number (s) Pigment Yellow 154 C.I. No.: 11781 Benzimidazolone 68134-22-5 268-734-6

# 2. COMPOSITION/INFORMATION ON INGREDIENTS

This material is a coloring agent used in the preparation of paint and plastic..

#### HEALTH HAZARDS

This material contains no ingredients/impurities classified as hazardous to health according to EU and UK chemicals legislation. Refer to Section 15 for full text of risk phrases

### 3. HAZARD IDENTIFICATION

Not classified as hazardous according to rules and criteria in European Community Directives

#### 4. FIRST AID MEASURES

| Inhalation                | Remove the affected person to fresh air, keep at rest in half<br>upright position and loosen clothing if necessary. If symptoms<br>persist, seek medical attention. |
|---------------------------|---|
| Ingestion                 | Rinse mouth with plenty of water or milk to drink. If symptoms persist, seek medical attention.   |
| Eye Contact               | Irrigate with eye wash solution or clean water holding the eyelids<br>apart for at least 15 minutes. If symptoms persist, seek medical<br>attention.                |
| Skin Contact              | Wash skin immediately with soap and water. If symptoms persist, seek medical attention.   |
| Further Medical Treatment | None Known  |

# 5. FIRE FIGHTING MEASURES



| General                            | If involved in a fire this material may emit irritating and toxic fumes including oxides of nitrogen and carbon.<br>Do not allow run off from fire fighting to enter drains or water courses. Cool closed containers exposed to fire with water spray. |
|------------------------------------|--|
| Extinguishing Media                | Water fog, foam, carbon dioxide or dry chemical powder. Do not use water jet.  |
| Fire Fighting Protective Equipment | Fire fighters should wear breathing apparatus for large fires.   |

2

# 6. ACCIDENTAL RELEASE MEASURES

| Personal Precautions<br>Environmental Precautions | Ensure suitable personal protection during removal of spillage<br>Do not allow to enter drains or water courses. In case of<br>contamination contact the Environmental Agency or appropria<br>regulatory body immediately. |
|---|--|
| Methods of Cleaning Up                            | Sweep up into suitable containers for disposal in accordance with waste regulations (See section 13).  |

## 7. HANDLING AND STORAGE

| Handling          | Use protective clothing as described in section 8. Avoid contact with skin and eyes.                             |
|-------------------|--|
|                   | Reseal containers immediately after use. Provide adequate ventilation.   |
| Storage           | Store in a cool, dry place. Use sealed containers.   |
| Specific Uses     | None. (See section 1).   |
| Extra Information | DANGER: Explosion risk if an air-dust mixture forms. Empty only into earthed containers. Dust explosion class 1. |

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

NOTE: All PPE should be changed / cleaned as necessary to avoid contamination / permeation.EXPOSURE CONTROLSHand ProtectionEye ProtectionRespiratory ProtectionSkin ProtectionSkin ProtectionWear PVC apron. Avoid contact with the material.

Skin ProtectionWear PVC apron. Avoid contact with the material.Environmental Exposure ControlsAny spillages should be thoroughly cleaned up. (See section 6).

OCCUPATIONAL EXPOSURE LIMITS (OEL)

| Hazardous Ingredient(s) | LTEL 8hrTWA        | STEL/TIME | <u>OSHA PEL</u><br>8hr TWA  | ACGIH TLV  |
|-------------------------|--------------------|-----------|---|--|
| Dust/Particles          | 5mg/m <sup>3</sup> | No data.  | Total dust: 15<br>mg/m <sup>3</sup><br>(Respirable:<br>5mg/m <sup>3</sup> ) | Inhalable: 10<br>mg/m <sup>3</sup><br>(Respirable:<br>3mg/m <sup>3</sup> ) |

## 9. PHYSICAL AND CHEMICAL PROPERTIES

NOTE: The data are provided for H&S purposes only - see section 16.

| Description                          | Yellow powder with no odour. |
|--------------------------------------|------------------------------|
| Density (g/cm <sup>3</sup> )         | 1.5~1.6                      |
| Solubility (in water)                | Insoluble                    |
| No further information is available. |                              |

# 10. STABILITY AND REACTIVITY



| Conditions to Avoid                 | Stable under normal temperature conditions.                        |
|-------------------------------------|--|
| Materials to Avoid                  | None known   |
| Hazardous Decomposition Products    | Under fire conditions, this material may emit irritating and toxic |
|                                     | fumes including oxides of nitrogen and carbon.                     |
| Substance / Preparation Stabilized? | No. This substance is stable under normal conditions.              |

3

# 11. TOXICOLOGICAL INFORMATION

| Inhalation         | Not normally irritating.       |
|--------------------|--------------------------------|
| Ingestion          | Not normally irritating.       |
| Eye Contact        | Not normally irritating.       |
| Skin Contact       | Not normally irritating.       |
| Long Term Exposure | No mutagenic effects observed. |

## **Toxicology**

| <b>Toxicity End Point</b>   | Inhalation | <u>Skin</u>                                  | Ingestion               | Eye   |
|---|------------|--|-------------------------|---|
| Acute Tox.  | No Data    | No Data                                      | LD50>2000mg/kg<br>(rat) | No Data   |
| Irritation  | No Data    | Non-irritating (rabbit)                      | No Data                 | Non-irritating<br>(rabbit, 84/449/E)<br>EC B.5. |
| Sensitisation   | No Data    | Non-sensitising (guinea pig, 84/449/EEC B.6) | No Data                 | No Data   |
| There is no further toxicological data available for this product |            |  |                         |   |

There is no further toxicological data available for this product.

## 12. ECOLOGICAL INFORMATION

| Persistence and Degradability                                  | Non-biodegradable over the 28-day test period (modified Sturm test).   |
|--|--|
| Ecotoxicity  | The product is insoluble in water. No adverse effects were observed on daphnia magna or on algal growth and it is not toxic to waste-water bacteria. |
| Bioaccumulative Potential<br>Mobility<br>Other Adverse Effects | Not known.<br>Not known.<br>Not known.   |

# 13. DISPOSAL CONSIDERATIONS

Do not allow into drains, water courses or where ground/surface waters may be affected. Disposal should be in accordance with regulations under the Special Waste Regulations, the Landfill (England and Wales) Regulations 2001, the Environmental Protection Act 1990 and the Pollution Prevention and Control Act 1999 or appropriate local / national regulations.

Contaminated packaging should be treated as the substance preparation.

# 14. TRANSPORT INFORMATION

This material is not dangerous for transportation.

# 15. REGULATORY INFORMATION

LABELLING

MSDS



Verdcol<sup>®</sup> BML Yellow 154 EU No 268-734-6 S22: Do not breathe dust.

#### **EUROPEAN REGULATIONS**

Classification EINECS Status Not applicable ELINCS listed

4

#### TEXT OF RISK PHRASES MENTIONED ELSEWHERE IN MSDS

None

#### US REGULATIONS

CERCLA Sections 102a/103 Hazardous Substances (40 CFR 302.4): Not Regulated. SARA Title III Section 302 Extremely Hazardous Substances (40 CFR 355.30): Not Regulated. SARA Title III Section 304 Extremely Hazardous Substances (40 CFR 355.40): Not Regulated. SARA Title III Section 311/312 Hazardous Categories (40 CFR 370.21): Acute-No, Chronic-No, Fire-Yes, Reactive-No Sudden Release-No

SARA Title III Section 313(40 CFR 372.65): Not Regulated. OSHA Process Safety (29CFR1910.119): Not Regulated. California Proposition 65: Not Regulated.

#### OTHER REGULATIONS

Germany: WGK class 1 (low hazard to waters). Canada DSL: Listed This MSDS has been prepared in accordance with the requirements of: The Dangerous Substances Directive (67/548/EEC) as amended by the 7th Amendment (92/32/EEC) and Directive 2001/59/EC). The Dangerous Preparations Directive (1999/45/EC). The Dangerous Preparations Directive (1999/45/EC). The Safety Data Sheets Directive (91/155/EEC) as amended by Directives 93/112/EC and 2001/58/EC. The Marketing and Use Directive (76/769/EEC). Classification (Hazards, Information and Packaging) Regulations 2002. (UK) OSHA Hazard Communication Standard. (US)

This MSDS is intended to assist in compliance with the following legislation/guidance: Health and Safety at Work Act 1974. (UK) Control of Substances Hazardous to Health Regulations 2002. (UK) COSHH Essentials. (UK) Dangerous Substances and Explosive Atmospheres Regulations 2002. (UK) Pollution Prevention and Control (England and Wales) Regulations 2000. (UK) Toxic Substances Control Act. (US) Superfund Amendment and Reauthorization Act (SARA). (US) Federal Food, Drug and Cosmetic Act. (US) Federal Insecticide, Fungicide and Rodenticide Act. (US) Comprehensive Environmental Response, Compensation and Liability Act (CERCLA). (US) California Proposition 65. (US) OSHA Process Safety. (US)

## 16. OTHER INFORMATION

The material supplied is intended only for industrial or laboratory use.

This document contains important information to ensure the safe handling and use of the material. The information in this document should be brought to the attention of the person in your organization responsible for advising on

#### safety matters.

The technical information provided in this MSDS should only be used for the purpose of assessing hazards with respect to safety or the environment. It should not be used as a technical specification or engineering calculations. For details regarding specification or other product / technical data, contact VERDCOL LTD.using the address on the first page.

The information contained herein is accurate to the best knowledge and belief of VERDCOL LTD. and intended to describe the product for the purposes of health, safety and environmental requirements only. It is given in good faith, but is not intended, and should not be construed, as a warranty. It remains the user's own responsibility to ensure that the information is appropriate and complete for their use of this product and that all necessary steps are taken to meet the requirements of applicable legislation.

OSHA

This MSDS was last revised in April 2013 - New MSDS

#### Abbreviations:

- LTEL Long Term Exposure Limit
- STEL Short Term Exposure Limit ACGIH SK
- TWA Time Weighted Average
- PEL PermissiblePermissible Exposure Limit Sen
- **Threshold Limit Values** TLV

Occupational Safety and Health Administration American Conference of Governmental Industrial Hygienists Can be absorbed through the skin Capable of causing respiratory sensitization



Total Page 5

